

Tobacco Stocks Report

as of July 1, 1971



U. S. DEPARTMENT OF AGRICULTURE
CONSUMER AND MARKETING SERVICE
TOBACCO DIVISION

The Tobacco Stocks and Standards Act provides for a quarterly report of tobacco stocks. These reports, based on information filed by manufacturers, dealers, and others, are prepared by the Tobacco Division of the Consumer and Marketing Service.

Washington, D. C.
August 19, 1971

CONTENTS

	Page
Discussion	3- 5
Conversion factors for adjusting for losses in weight.	6
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent.	7
Production, stocks, supply, disappearance, and price of specified types (FARM-SALES-WEIGHT)	8
Summary of tobacco leaf represented in inventories of tobacco sheet	9
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers.	10
Stocks of leaf tobacco, summary by types	11



BRIEF CLASSIFICATION OF LEAF TOBACCO

(Covering classes and types)

CLASS 1, FLUE-CURED TYPES

- Type 11: Old Belt flue-cured; produced principally in the Piedmont sections of Virginia and North Carolina.
- Type 12: Eastern North Carolina flue-cured; produced principally in the coastal sections of North Carolina, north of the South River.
- Type 13: South Carolina flue-cured; produced principally in the coastal sections of South Carolina, the southeastern counties of North Carolina, south of the South River.
- Type 14: Georgia and Florida flue-cured; produced principally in southern Georgia and northern Florida.

CLASS 2, FIRE-CURED TYPES

- Type 21: Virginia fire-cured; produced in the Piedmont and mountain sections of Virginia.
- Type 22: Tennessee-Kentucky fire-cured, eastern district, Clarksville, Springfield, and Hopkinsville; produced principally in a section east of the Tennessee River, in southern Kentucky and northern Tennessee.
- Type 23: Kentucky-Tennessee fire-cured, western district, Mayfield, and Murray; produced principally in a section between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

CLASS 3, AIR-CURED TYPES

LIGHT AIR-CURED (CLASS 3a)

- Type 31: Burley; produced principally in Kentucky, Tennessee, Ohio, Indiana, West Virginia, Virginia, North Carolina, and Missouri.
- Type 32: Southern Maryland; produced principally in five counties of southern Maryland--Prince Georges, Anne Arundel, Calvert, Charles, and St. Marys.

DARK AIR-CURED (CLASS 3b)

- Type 35: One Sucker; produced in north-central Tennessee and south-central Kentucky.
- Type 36: Green River; produced in the northern part of Kentucky in the territory adjacent to Owensboro and Henderson.
- Type 37: Virginia sun-cured; produced principally in central Virginia, north of the James River.

CLASS 4, CIGAR-FILLER TYPES

- Type 41: Pennsylvania Seedleaf; produced principally in Lancaster County, Pa., and the adjoining counties.
- Type 42-44: Ohio filler; produced principally in the Miami Valley section of Ohio and extending into Indiana.
- Type 46: Puerto Rican sun-grown, including primed (Deshojado) and stalk-cut (Mata); produced on the Island of Puerto Rico

CLASS 5, CIGAR-BINDER TYPES

- Type 51: Connecticut Broadleaf; produced in the Connecticut Valley sections of Connecticut and Massachusetts.
- Type 52: Connecticut Havana Seed; produced in the Connecticut and Housatonic Valley sections of Connecticut and Massachusetts.
- Type 53: New York and Pennsylvania Havana Seed; produced in the Big Flats and Onondaga sections of New York, and extending into Pennsylvania.
- Type 54: Southern Wisconsin; produced in Wisconsin, south and east of the Wisconsin River.
- Type 55: Northern Wisconsin; produced in Wisconsin, north and west of the Wisconsin River, and in eastern Minnesota.

CLASS 6, CIGAR-WRAPPER TYPES

- Type 61: Connecticut Shade; produced in the Connecticut Valley sections of Connecticut and Massachusetts.
- Type 62: Georgia and Florida Shade; produced in southwestern Georgia and north-central Florida.

MISCELLANEOUS TYPES OF DOMESTIC TOBACCO

- Type 72: Louisiana Perique.
- Type 73: All domestic types of tobacco not otherwise classified.

FOREIGN TYPES

- Type 81: Cuba
- Type 82: Indonesia
- Type 83: Philippine Islands
- Type 84: Brazil
- Type 85: Colombia
- Type 86: Dominican Republic
- Type 87: Paraguay
- Type 88: Mexico
- Type 89: Other foreign-grown cigar leaf
- Type 91: Foreign-grown Oriental and Aromatic
- Type 92: Foreign-grown flue-cured
- Type 93: Foreign-grown burley
-

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS 1/ 2/

Total leaf tobacco stocks smaller than a year ago

Leaf tobacco inventories of dealers and manufacturers in the United States and Puerto Rico totaled 4,369 million pounds as of July 1, 1971. This was 50 million pounds less than the figure a year earlier. An increase in flue-cured inventories partially offset declines in other domestic types, especially cigar filler. Stocks of foreign-grown cigarette and smoking tobacco were also lower. About 35 million pounds, consisting mostly of Maryland and Puerto Rican tobaccos were marketed by growers during the April-June quarter.

Stocks as of July 1, 1971 included 1,262 million pounds (farm-sales-weight) of leaf tobacco under Government loans--14 million pounds above the previous July 1. Flue-cured accounted for the biggest share of the increase. The breakdown on current loan stocks was: flue-cured, 761.9 million pounds; burley, 468.8 million; fire-cured, 8.0 million; dark air-cured, 15.2 million; and cigar leaf, 8.6 million pounds.

1/ Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks. (See table in body of report for reported weight basis). This report is issued quarterly.

2/ All Government loan stocks are reported by Growers Cooperatives, which are considered dealers for stocks-reporting purposes.

CIGARETTE-LEAF STOCKS

Flue-cured inventories larger, all others decline

Stocks of flue-cured tobacco on July 1, 1971, totaled 1,976 million pounds--23 million above reported holdings last year. The 1970 marketing year for flue-cured ended on July 1 with total disappearance indicated at 1,154 million pounds. Domestic consumption at 623 million pounds was about 42 million below the previous year. Exports were 531 million pounds compared to 535 in 1969-70.

Burley stocks this July 1 were reported at 1,488 million pounds--8 million below the holdings of July 1, 1970.

Maryland inventories totaled 63 million pounds--7 million less than July 1. Auction sales of the 1970 crop ended on June 25 with 29.2 million pounds being sold.

Foreign-grown cigarette and smoking tobacco stocks were reported at 400 million pounds on July 1, 1971. This was 28 million less than was on hand a year earlier.

DARK TOBACCO STOCKS

All types decline

Stocks of fire-cured leaf, reported at 78 million pounds on July 1, 1971, were 6 million below holdings on the previous July 1. Fire-cured stocks on this July 1 were as follows: Virginia, 11.2 million pounds; Eastern District Kentucky and Tennessee, 56.1 million; and Western District, 10.9 million.

Dark air-cured holdings of 56.4 million pounds were 5.9 million below the July 1 inventories last year. Stocks this year by types were: One Sucker, 33.5 million pounds; Green River, 19.5 million; and Virginia sun-cured, 3.4 million.

CIGAR LEAF STOCKS

Domestic and foreign-grown stocks decline

Inventories of all domestic-grown cigar tobacco, including Puerto Rican, totaled 198.2 million pounds on July 1, 1971. This was 15.7 million less than the holdings of last July 1. Connecticut shade and Southern Wisconsin had larger inventories while all other types declined. Deliveries of the 1970-71 crop of Puerto Rican tobacco were completed during the quarter. Stocks of foreign-grown cigar leaf as of July 1 amounted to 102.4 million pounds--2.4 million below holdings of a year earlier.

CIGAR LEAF STOCKS--Cont'd.

Inventories of cigar-filler types on this reporting date totaled 125.9 million pounds--down 17.5 million from the previous July 1. Individual type totals were: Pennsylvania Seed-leaf, 98.8 million; Ohio filler, 8.8 million; and Puerto Rican, 18.4 million pounds.

Cigar binder stocks totaled 50.3 million pounds on July 1, 1970--a small gain of 1.2 million from the same date last year. Stocks by types were: Connecticut Broadleaf, 4.7 million pounds; Connecticut Valley Havana Seed, 3.0 million; Southern Wisconsin, 21.5 million, and Northern Wisconsin, 21.0 million pounds.

Shade-grown cigar wrapper stocks as of July 1, 1971, totaled 22.0 million pounds consisting of 13.9 million pounds of Connecticut Valley Shade and 8.1 million pounds of Georgia-Florida Shade. The Connecticut leaf showed an increase while Georgia-Florida declined. The marketing year which ended on July 1 indicated a total combined disappearance of 14.3 million pounds for these types. Exports were 1.9 million pounds giving a domestic disappearance of 12.4 million. Disappearance was about the same as last year in both types.

Stocks of Cuban leaf, reported at 0.7 million pounds dropped 0.3 million from a year ago. Philippine Island stocks were down 4.4 million pounds at 38.7 million. Indonesian leaf stocks this July 1 were 4.7 million pounds; Brazilian, 9.4 million; Colombian, 10.4 million; Dominican Republic, 13.5 million; Paraguay, 7.3 million; Mexico, 5.3 million; and other foreign-grown, 12.4 million pounds.

TOBACCO SHEET

Leaf in sheet declines

Stocks of leaf represented in inventories of "tobacco sheet" totaled 32.0 million pounds (reported weight) compared with 35.1 million a year earlier. Of the total in "sheet" this July 1, 30.2 million pounds were for use in cigarette and smoking tobacco, and 1.8 million for cigar binder and wrapper.

TABLE 1.--Factors for adjusting stocks reported by dealers and manufacturers to a farm-sales-weight equivalent, by types of tobacco

AUCTION MARKET AREAS (Types 11-37) 1/

Type name	Type number	Factors to multiply by to convert -					
		Stemmed stocks to -		Unstemmed stocks to -			
		Unstemmed equivalent	Farm-sales weight	Farm-sales-weight equivalent			
			equivalent	From packed weight 1/			
Flue-cured	11-14	1.295	1.450	1.12			
Virginia fire-cured	21	1.299	1.598	1.23			
Tennessee and Kentucky fire-cured	22-23	1.324	2/ 1.471	1.04			
Burley	31	1.345	1.506	1.12			
Southern Maryland	32	1.373	1.400	1.02			
One Sucker	35	1.413	1.554	1.10			
Green River.	36	1.389	1.570	1.13			
Virginia sun-cured	37	1.326	1.538	1.16			
Miscellaneous domestic	72-73	1.333	1.493	1.12			
DOMESTIC-GROWN CIGAR LEAF (Types 41-62)							
		2/	Sweated weight 3/	Marked weight 3/	Farm-sales-weight 3/	Average for sales- : July 1, 1971 report 3/	
Pennsylvania Seedleaf	41	1.444	1.718	1.19	1.05	1.00	1.02
Ohio	42-44	1.454	1.730	1.19	1.05	1.00	1.15
Puerto Rican	46	1.314	1.551	1.18	1.16	1.00	(1.13 - U. S. (1.10 - P. R.
Connecticut Broadleaf	51	1.375	1.622	1.18	1.04	1.00	1.08
Connecticut Havana Seed	52	1.386	1.635	1.18	1.04	1.00	1.13
Southern Wisconsin	54	1.383	1.687	1.22	1.06	1.00	1.02
Northern Wisconsin	55	1.404	1.713	1.22	1.06	1.00	1.04
Connecticut Shade	61	1.245	1.419	1.14	1.10	1.00	1.09
Georgia and Florida Shade.	62	1.235	1.408	1.14	1.10	1.00	1.13
IMPORTED LEAF (Types 81-93)							
Cigar leaf	81-89	1.400	1.624	1.16			
Foreign-grown Oriental and Aromatic	91	1.333	1.466	1.10			
Foreign-grown flue-cured	92	1.295	1.450	1.12			
Foreign-grown burley	93	1.345	1.506	1.12			

1/ Types 11-37 are reported on the basis of packed weight.

2/ Farm-sales-weight equivalent based on unstemmed sweated weight factor.

3/ The instructions for reporting unstemmed cigar-leaf of the domestic types require that dealers and manufacturers indicate the weight basis on which the tobacco is reported, namely, farm-sales-weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of average factors reflecting the percentage reported each quarter in each of these three categories.

TABLE 2.--Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, July 1, 1971, compared with other quarters 1/

FARM-SALES WEIGHT

Type name	U.S. type number	July 1,			April 1,	January 1,	October 1,
		1971	1970	1969	1971	1971	1970
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	1,976,459	1,952,863	2,100,113	2,234,212	2,503,866	2,410,003
Virginia fire-cured	21	11,185	11,285	12,231	12,414	9,952	9,797
Tennessee and Kentucky fire-cured (Eastern District)	22	56,063	60,195	65,218	63,212	44,552	52,766
Kentucky and Tennessee fire-cured (Western District)	23	10,913	12,907	15,023	12,397	9,505	11,076
Total fire-cured	21-23	78,161	84,387	92,472	88,023	64,009	73,639
Burley	31	1,488,410	1,495,744	1,462,720	1,627,671	1,654,154	1,342,703
Southern Maryland	32	62,893	70,006	83,700	41,092	50,064	61,961
Total light air-cured	31-32	1,551,303	1,565,750	1,546,420	1,668,763	1,704,218	1,404,664
One Sucker	35	33,504	38,045	40,682	38,217	36,166	34,308
Green River	36	19,490	20,502	21,796	21,081	19,324	19,383
Virginia sun-cured	37	3,387	3,754	4,209	3,668	3,593	3,327
Total dark air-cured	35-37	56,381	62,301	66,687	62,966	59,083	57,018
Pennsylvania Seedleaf	41	98,798	109,431	115,218	108,712	86,680	97,266
Ohio Filler (Miami Valley)	42-44	8,753	10,407	11,954	9,798	8,704	9,020
Puerto Rican:							
in United States	46	5,631	6,436	9,448	5,506	5,180	5,389
in Puerto Rico	46	12,730	17,096	21,603	8,514	13,494	13,894
Total cigar filler	41-46	125,912	143,370	158,223	132,530	114,058	125,569
Connecticut Valley Broadleaf	51	4,734	5,000	6,986	4,749	4,320	4,312
Connecticut Valley Havana Seed	52	2,956	2,799	2,848	3,090	2,958	2,699
Southern Wisconsin	54	21,539	19,611	21,833	23,750	16,787	16,685
Northern Wisconsin	55	21,049	21,701	24,069	23,474	19,563	18,556
Total cigar binder	51-55	50,278	49,111	55,736	55,063	43,628	42,252
Connecticut shade	61	13,888	12,239	12,142	15,314	15,512	15,124
Georgia and Florida shade	62	8,121	9,181	7,523	9,845	10,625	10,299
Total cigar wrapper	61-62	22,009	21,420	19,665	25,159	26,137	25,423
Perique	72	635	537	607	825	698	619
Other Miscellaneous Domestic 2/	73 2/	5,772	6,279	5,979	5,456	5,538	6,167
Total Miscellaneous Domestic	72-73	6,407	6,816	6,586	6,281	6,236	6,786
Cuba	81	717	998	1,527	760	825	914
Indonesia	82	4,718	2,324	3,314	3,496	2,946	3,436
Philippine Islands	83	38,704	43,146	41,905	44,954	40,401	38,919
Brazil	84	9,380	10,437	9,006	7,274	7,969	9,154
Colombia	85	10,387	9,146	10,173	6,826	8,597	10,102
Dominican Republic	86	13,526	12,226	12,281	13,316	9,841	9,508
Paraguay	87	7,282	9,500	4,195	8,058	9,009	8,912
Mexico	88	5,289	4,877	2,758	6,011	6,675	5,944
Other foreign-grown cigar leaf	89	12,411	12,190	8,069	12,975	12,605	12,252
Total imported cigar leaf	81-89	102,414	104,844	93,228	103,670	98,868	99,141
Foreign-grown Oriental and Aromatic	91	381,610	3/	3/	370,542	367,063	3/
Foreign-grown flue-cured	92	14,429	3/	3/	10,637	13,264	3/
Foreign-grown burley	93	3,826	3/	3/	4,752	5,272	3/
Total imported cigarette and smoking tobacco leaf	91-93	399,865	428,396	451,246	385,931	385,599	405,829
Total all types	11-93	4,369,189	4,419,258	4,590,376	4,762,598	5,005,702	4,650,324

1/ Totals include stocks of leaf tobacco sheet. See separate reporting in table 4.

2/ Type 73 is defined as all domestic types of tobacco not otherwise classified; the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the types to which they properly belong.

3/ In previous quarters these tobaccos were grouped together and designated type 90. The increasing volume of imported flue-cured and burley leaf made separate reporting necessary.

TABLE 3.--Production, stocks, supply, disappearance on a farm-sales-weight basis, and price of specified types, 1962-71 1/

REPORTED WEIGHT

FLUE-CURED, TYPES 11-14

Marketing year beginning July 1	Carryover stocks (July 1) 2/				Pro- duction	Total supply	Disappearance			Average price to growers
	Manu- facturers	Under loan	Other	Total			Total	Export	Other	
	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Million pounds	Cents
1962	1,467.3	377.0	236.8	2,081.1	1,408.4	3,489.5	1,207.9	430.9	777.0	60.1
1963	1,478.0	496.3	307.3	2,281.6	1,371.5	3,653.1	1,266.7	498.4	768.3	58.0
1964	1,406.2	696.9	283.3	2,386.4	1,387.8	3,774.2	1,218.8	444.0	774.8	58.5
1965	1,362.9	918.5	274.0	2,555.4	1,059.0	3,614.4	1,175.5	423.1	752.4	64.6
1966	1,349.2	836.4	253.2	2,438.8	1,107.9	3,546.7	1,274.2	587.1	687.1	66.9
1967	1,306.1	685.4	281.0	2,272.5	1,250.0	3,522.5	1,221.0	533.3	687.7	64.9
1968	1,257.5	773.3	270.7	2,301.5	995.7	3,297.2	1,197.1	525.3	671.8	65.6
1969	1,080.8	800.5	218.8	2,100.1	1,052.8	3,152.9	1,200.1	534.6	665.4	72.4
1970	1,013.8	744.9	194.2	1,952.9	1,178.1	3,131.0	1,154.5	531.2	623.3	72.9
1971 3/	1,010.0	761.9	204.6	1,976.5 4/	1,084.3	3,060.8				

TOTAL, TYPES 61-62

1962	20.3	-	5.1	25.4	19.3	44.7	19.5	4.9	14.6	233.0
1963	20.1	-	5.0	25.1	18.7	43.8	21.7	6.4	15.3	240.0
1964	18.4	-	3.7	22.1	21.1	43.2	21.7	4.3	17.4	245.0
1965	18.1	-	3.7	21.6	22.9	44.5	20.0	5.1	14.9	241.0
1966	20.1	-	4.4	24.5	21.0	45.5	20.8	4.2	16.6	257.0
1967	19.5	-	5.2	24.7	17.6	42.3	20.8	4.9	15.9	308.0
1968	17.8	-	3.7	21.5	18.1	39.6	19.9	3.8	16.1	275.7
1969	17.7	-	2.0	19.7	15.9	35.6	14.1	1.9	12.2	336.2
1970	19.0	-	2.4	21.4	14.9	36.3	14.3	1.9	12.4	350.0
1971 3/	19.3	-	2.7	22.0	11.2	33.2				

CONNECTICUT SHADE, TYPE 61

1962	12.4	-	2.8	15.2	11.9	27.1	11.0	2.8	8.2	250.0
1963	13.2	-	2.8	16.0	12.0	28.0	14.1	4.1	10.0	260.0
1964	12.9	-	1.0	13.9	13.5	27.4	13.2	3.1	10.1	250.0
1965	12.7	-	1.6	14.3	14.6	28.9	12.6	3.3	9.3	250.0
1966	13.9	-	2.4	16.3	13.7	30.0	14.0	3.5	10.5	295.0
1967	13.3	-	2.7	16.0	9.6	25.6	12.9	3.3	9.6	360.0
1968	11.5	-	1.2	12.7	10.2	22.9	10.8	1.7	9.1	280.0
1969	11.2	-	1.0	12.2	8.1	20.3	8.0	1.0	7.0	390.0
1970	11.4	-	0.8	12.2	8.0	20.2	7.6	1.0	6.6	400.0
1971 3/	12.5	-	1.4	13.9 4/	6.5	20.4				

GEORGIA AND FLORIDA SHADE, TYPE 62

1962	7.9	-	2.3	10.2	7.4	17.6	8.5	2.1	6.4	205.0
1963	6.9	-	2.2	9.1	6.7	15.8	7.6	2.3	5.3	205.0
1964	5.5	-	2.7	8.2	7.6	15.9	8.6	1.2	7.3	235.0
1965	5.4	-	1.9	7.3	8.3	15.6	7.4	1.9	5.6	225.0
1966	6.2	-	2.0	8.2	7.3	15.5	6.8	0.7	6.1	185.0
1967	6.2	-	2.5	8.7	8.0	16.7	7.9	1.6	6.3	245.0
1968	6.3	-	2.5	8.8	7.9	16.7	9.1	2.1	7.0	270.0
1969	6.5	-	1.0	7.5	7.8	15.3	6.1	0.9	5.2	280.0
1970	7.6	-	1.6	9.2	5.6	14.8	6.7	0.9	5.8	270.0
1971 3/	6.8	-	1.3	8.1 4/	4.7	12.8				

1/ Annual disappearance for a type is calculated for the marketing year established for that type, the year beginning on the quarterly reporting date on which stocks of the type are at their lowest point and before the new crop enters stocks.

2/ The carryover stocks have been tabulated separately according to broad groupings of ownership, namely manufacturers, under loan, and all other. "Other" reflects stocks reported by tobacco dealers and stocks held in the United States by representatives of foreign manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export.

3/ Subject to revision.

4/ August 1 estimate, U. S. Crop Reporting Board, SRS.

Detail may not add to total because of rounding.

TABLE 4.--Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and wrapper, and for cigarettes (including smoking tobacco), separately

REPORTED WEIGHT

Cigar Binder and Wrapper

U.S. type number		July 1,			April 1, 1971	January 1, 1971	October 1, 1970
		1971	1970	1969			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11-14	Stemmed	2	5	6	2	7	5
32	Stemmed	31	64	71	1	74	67
41	Unstemmed	554	409	272	660	657	547
	Stemmed	435	545	551	463	509	257
	Total	989	954	823	1,123	1,166	804
42-44	Stemmed	25	46	51	2	50	48
46	Stemmed	9	13	14	7	16	12
51	Unstemmed	66	295	1,045	35	31	95
	Stemmed	65	40	55	59	63	46
52	Stemmed	20	-	-	-	-	-
	Total	85	40	55	59	63	46
	Unstemmed	-	56	65	-	-	41
54	Stemmed	147	-	-	146	50	-
	Total	147	56	65	146	50	41
	Unstemmed	48	118	124	73	183	115
55	Stemmed	128	54	55	17	38	25
	Total	176	172	179	90	221	140
	Unstemmed	21	20	2	24	19	6
61	Stemmed	17	19	52	33	32	31
	Total	38	39	54	57	51	37
62	Stemmed	14	11	14	17	12	7
81	Stemmed	9	2	2	-	5	2
	Unstemmed	20	12	6	14	16	11
82	Stemmed	3	11	12	4	14	11
	Total	23	23	18	18	30	22
	Unstemmed	11	9	11	13	9	5
83	Stemmed	69	41	104	44	108	92
	Total	80	50	115	57	117	97
84	Stemmed	8	18	19	11	24	17
85	Stemmed	6	15	16	8	19	15
	Unstemmed	45	29	6	28	51	36
86	Stemmed	14	14	15	19	17	13
	Total	59	43	21	47	68	49
87	Stemmed	14	-	-	-	-	-
88	Stemmed	1	-	-	1	-	-
89	Stemmed	20	7	30	26	31	29
	Unstemmed	830	988	1,586	906	1,029	902
Total	Stemmed	972	865	1,012	801	1,006	631
	Total	1,802	1,853	2,598	1,707	2,035	1,533

Cigarettes (including smoking tobacco)

11-14	Unstemmed	1,572	3,031	2,712	1,823	2,053	2,816
	Stemmed	9,394	7,900	4,609	9,932	8,287	8,506
	Total	10,966	10,931	7,321	11,755	10,340	11,322
	Unstemmed	1,613	3,173	3,425	2,010	2,264	2,802
31	Stemmed	5,766	5,028	2,550	5,670	4,953	4,799
	Total	7,379	8,201	5,975	7,680	7,217	7,601
	Unstemmed	-	-	674	-	-	-
32	Stemmed	152	110	166	150	279	105
	Total	152	110	840	150	279	105
	Unstemmed	4,299	5,955	5,588	4,598	4,746	5,225
41	Stemmed	1,165	1,097	543	1,055	886	986
	Total	5,464	7,052	6,131	5,653	5,632	6,211
	Unstemmed	58	137	28	91	152	150
61	Stemmed	241	353	81	316	334	340
	Total	299	490	109	407	486	490
	Unstemmed	4,891	1/	1/	4,590	3,969	1/
91 1/	Stemmed	1,057	1/	1/	1,165	1,235	1/
	Unstemmed	-	1/	1/	-	-	1/
92-93 1/	Stemmed	-	1/	1/	-	-	1/
	Unstemmed	4,891	5,303	3,497	4,590	3,969	4,841
91-93 1/	Stemmed	1,057	1,119	556	1,165	1,235	1,183
	Total	5,948	6,422	4,053	5,755	5,204	6,024
Total	Unstemmed	12,433	17,599	15,924	13,112	13,184	15,834
	Stemmed	17,775	15,607	8,505	18,288	15,974	15,919
	Total	30,208	33,206	24,429	31,400	29,158	31,753

Grand Total

Total	Unstemmed	13,263	18,587	17,510	14,018	14,213	16,736
all	Stemmed	18,747	16,472	9,517	19,089	16,980	16,550
types	Total	32,010	35,059	27,027	33,107	31,193	33,286

1/ In previous quarters these tobaccos were grouped together and designated type 90. The increasing volume of imported flue-cured and burley leaf made separate reporting necessary.

TABLE 5.--Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers, July 1, 1971 compared with July 1, 1970 1/ 2/

REPORTED WEIGHT

U. S. type number	Reported as owned by manufacturers 3/				Reported as owned by dealers (including loan stocks) 3/			
	July 1, 1971			July 1, 1970	July 1, 1971			July 1, 1970
	Unstemmed	Stemmed	Total		Unstemmed	Stemmed	Total	
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
11-14	13,027	686,460	699,487	704,091	645,102	168,265	813,367	804,373*
21	4,458	29	4,487	4,363	4,566	25	4,591	4,796
22	32,019	442	32,461	32,780	21,202	42	21,244	24,996
23	4,477	21	4,498	4,607	5,904	57	5,961	7,753
21-23	40,954	492	41,446	41,750	31,672	124	31,796	37,545
31	18,785	633,323	652,108	657,162	428,594	22,285	450,879	452,383
32	13,838	18,548	32,386	37,486	15,794	4,786	20,580	19,973
31-32	32,623	651,871	684,494	694,648	444,388	27,071	471,459	472,356
35	12,315	5,942	18,257	20,526	9,607	100	9,707	12,334
36	7,976	1,587	9,563	9,984	6,807	187	6,994	7,634
37	1,537	1,009	2,546	2,863	31	10	41	195
35-37	21,828	8,538	30,366	33,373	16,445	297	16,742	20,163
41	47,691	9,753	57,444	71,027	29,640	1,843	31,483	28,926
42-44	6,668	307	6,975	7,621	362	79	441	753
46 4/	2,086	3,377	5,463	11,107	9,475	195	9,670	8,019
41-46	56,445	13,437	69,882	89,755	39,477	2,117	41,594	37,698
51	1,016	395	1,411	2,072	2,372	268	2,640	2,429
52	1,017	25	1,042	1,046	1,502	42	1,544	1,445
54	19,181	984	20,165	18,868	101	125	226	213
55	17,058	1,095	18,153	18,381	1,304	44	1,348	1,894
51-55	38,272	2,499	40,771	40,367	5,279	479	5,758	5,981
61	9,683	1,338	11,021	9,793	1,290	20	1,310	752
62	5,730	253	5,983	6,742	888	202	1,090	1,363
61-62	15,413	1,591	17,004	16,535	2,178	222	2,400	2,115
72	5	285	290	229	54	96	150	143
73	0	3,822	3,822	4,156	1	44	45	50
72-73 5/	5	4,107	4,112	4,385	55	140	195	193
81	109	199	308	440	74	112	186	246
82	1,104	631	1,735	1,167	1,929	108	2,037	610
83	6,382	7,574	13,956	12,568	7,774	6,147	13,921	18,408
84	4,119	1,735	5,854	6,472	1,079	328	1,407	1,506
85	5,472	1,649	7,121	6,039	1,069	75	1,144	1,083
86	5,345	3,566	8,911	7,952	801	373	1,174	1,071
87	449	549	998	1,425	5,003	42	5,045	6,310
88	2,877	1,074	3,951	3,689	167	8	175	195
89	3,833	2,007	5,840	5,010	3,191	619	3,810	4,790
81-89	29,690	18,984	48,674	44,762	21,087	7,812	28,899	34,219
91	336,942	6,736	343,678	6/	916	62	978	6/
92	3,005	1,227	4,232	6/	4,592	2,856	7,448	6/
93	563	1,407	1,970	6/	25	697	722	6/
91-93	340,510	9,370	349,880	381,948	5,533	3,615	9,148	4,535
11-93	588,767	1,397,349	1,986,116	2,051,614	1,211,216	210,142	1,421,358	1,419,178

1/ Total includes stocks of leaf reported in tobacco sheet. See separate reportings in table 4.

2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

3/ This table should be considered as representing only the approximate quantities owned respectively by dealers and manufacturers. The quantities shown as owned by manufacturers represent domestic manufacturers only. All Government loan stocks are included as dealers' holdings.

4/ Includes stocks on the Island of Puerto Rico.

5/ For explanation of stocks included in this classification see footnote 2 on page 7.

6/ In previous quarters these tobaccos were grouped together and designated type 90. The increasing volume of imported flue-cured and burley leaf made separate reporting necessary.

*Revision.

TABLE 6.--Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, July 1, 1971 compared with other quarters 1/ 2/

REPORTED WEIGHT

Type number	U.S. type number	July 1, 1971 3/			July 1, 1970	April 1, 1971	January 1, 1971
		Unstemmed	Stemmed	Total			
		1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Flue-cured	11-14	658,129	854,725	1,512,854 1/	1,508,464 1/	1,705,456 1/	1,906,316 1/
Virginia fire-cured	21	9,024	54	9,078	9,159	10,048	8,035
Tennessee and Kentucky fire-cured (Eastern District)	22	53,221	484	53,705	57,776	60,535	42,592
Kentucky and Tennessee fire-cured (Western District)	23	10,381	78	10,459	12,360	11,913	9,134
Total fire-cured	21-23	72,626	616	73,242	79,295	82,496	59,761
Burley	31	447,379	655,608	1,102,987	1,109,545	1,200,726	1,243,276
Southern Maryland	32	29,632	23,334	52,966	57,459	32,565	40,330
Total light air-cured	31-32	477,011	678,942	1,155,953	1,167,004	1,233,291	1,283,606
One Sucker	35	21,922	6,042	27,964	32,860	32,397	31,371
Green River	36	14,783	1,774	16,557	17,618	17,897	16,641
Virginia sun-cured	37	1,568	1,019	2,587	3,058	2,792	2,895
	35-37	38,273	8,835	47,108	53,536	53,086	50,907
Pennsylvania Seedleaf	41	77,331	11,596	88,927	99,953	99,405	78,323
Ohio Filler (Miami Valley)	42-44	7,030	386	7,416	8,374	8,462	6,975
Puerto Rico:							
in United States	46	3,398	1,154	4,552	4,978	4,383	4,104
in Puerto Rico	46	8,163	2,418	10,581	14,148	6,818	10,634
Total cigar filler	41-46	95,922	15,554	111,476	127,453	119,068	100,036
Connecticut Valley Broadleaf	51	3,388	663	4,051	4,501	4,139	3,728
Connecticut Valley Havana Seed	52	2,519	67	2,586	2,491	2,718	2,630
Southern Wisconsin	54	19,282	1,109	20,391	19,081	22,508	16,131
Northern Wisconsin	55	18,362	1,139	19,501	20,275	21,866	18,419
Total cigar binder	51-55	43,551	2,978	46,529	46,348	51,231	40,908
Connecticut shade	61	10,973	1,358	12,331	10,545	13,746	13,942
Georgia and Florida shade	62	6,618	455	7,073	8,105	8,586	9,464
Total cigar wrapper	61-62	17,591	1,813	19,404	18,650	22,332	23,406
Perique	72	59	381	440	372	567	489
Other miscellaneous domestic	73 4/	1	3,866	3,867	4,206	3,655	3,709
Total miscellaneous domestic	72-73	60	4,247	4,307	4,578	4,222	4,198
Cuba	81	183	311	494	686	524	568
Indonesia	82	3,033	739	3,772	1,777	2,682	2,241
Philippine Islands	83	14,156	13,721	27,877	30,976	32,116	29,158
Brazil	84	5,198	2,063	7,261	7,978	5,494	5,925
Colombia	85	6,541	1,724	8,265	7,122	5,345	6,720
Dominican Republic	86	6,146	3,939	10,085	9,023	10,056	6,990
Paraguay	87	5,452	591	6,043	7,735	6,736	7,396
Mexico	88	3,044	1,082	4,126	3,884	4,742	5,301
Other foreign-grown cigar leaf	89	7,024	2,626	9,650	9,800	10,158	10,087
Total foreign-grown cigar-leaf	81-89	50,777	26,796	77,573	78,981	77,653	74,386
Foreign-grown Oriental and Aromatic	91	337,858	6,798	344,656		335,277	332,099
Foreign-grown flue-cured	92	7,597	4,083	11,680		8,618	10,809
Foreign-grown burley	93	588	2,104	2,692 5/		3,332	3,839
Total imported cigarette and smoking tobacco leaf	91-93	346,043	12,985	359,028	386,483	347,227	346,747
Total all types	11-93	1,799,983	1,607,491	3,407,474	3,470,792	3,696,262	3,890,271

- 1/ Totals include stocks of leaf reported in tobacco sheet. See separate reporting in table 4.
- 2/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1970, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.
- 3/ Subject to revision.
- 4/ For explanation of stocks included in this classification see footnote 2 on page 7.
- 5/ In previous quarters these tobaccos were grouped together and designated type 90. The increasing volume of imported flue-cured and burley leaf made separate reporting necessary.
- *Revision.

UNITED STATES DEPARTMENT OF AGRICULTURE
WASHINGTON, D. C. 20250

OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE, \$300



POSTAGE & FEES PAID
United States Department of Agriculture

NOTICE

If you no longer need this publication, check here ☐ return this sheet, and your name will be dropped from the mailing list.

If your address should be changed, write the new address on this sheet and return the whole sheet to:

Tobacco Division
Consumer and Marketing Service
U. S. Department of Agriculture
Washington, D. C. 20250